

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"7065041"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:20
L5	3	"6891833"	USPAT	OR	OFF	2009/01/09 15:04
L6	3	"6891833"	USPAT	OR	OFF	2009/01/09 15:04
L7	0	MGC and seimens	USPAT	OR	OFF	2009/01/09 15:09
L8	152	MGC and Siemens	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 15:09
L9	5	MGC and Siemens adj Communications	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 15:09
L12	0	370/352,353,389,331,260,328,260.CCLS	USPAT	OR	OFF	2009/01/09 15:51
L13	0	"370/352,353,389,331,260,328,260".ccls" and (Media adj gateway adj controller) and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 15:53

L14	0	"370/352,353,389,331,260,328,260"" .cls"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 15:53
L15	19737	"370/352,353,389,331,260,328,260"" .cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 15:53
L16	485	"370/352,353,389,331,260,328,260"" .cls. and (media adj gateway adj controller or MGC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 15:53
S1	1	("6674713").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 17:30
S2	0	(09/256688andactive).CLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/31 08:13
S3	3	09/256688 and active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:13
S4	0	09/256688 and "not active"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:15
S5	2	09/256688 and registe\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:31

S6	1	"09323272" and registre\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:33
S7	2	"09/323272" and registre\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:33
S8	2	"09/323272" and active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:35
S9	2	"09/323272" and "120"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:37
S10	2	"09/323272" and "120" and active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:38
S11	0	"09/323272" and "120" and "not active"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:39
S12	2	"09/323272" and "120" and interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:40

S13	2	"09/323272" and "120" and interface and address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 08:41
S14	756	controll\$4 and gateway and first adj interface and second adj interface and (@rlad<"20030905" or @ad<"20030905")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 17:02
S15	39	controll\$4 and gateway and first adj interface and second adj interface and media with gateway with controller and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 17:08
S16	893	media adj gateway adj controller and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 17:10
S17	16	S16 and first adj interface and second adj interface and register	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 17:10
S18	1	S16 and first adj interface with active and second adj interface with active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 17:20
S19	65	S16 and two same interface same first same second	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:07

S20	2137	(media adj gateway adj controller or MGC) and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:14
S21	80	S20 and two same interface same first same second	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:14
S22	9	(media adj gateway adj controller or MGC) same fail with over and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:17
S23	99	((media adj gateway adj controller or MGC) or server) same redundant same interface adj card and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:32
S24	69	server and first adj network with active and second adj network with active and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:34
S25	25	server and first adj network with active and second adj network with active and redundant and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:35
S26	22	server and first adj network with active and second adj network with active and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:52

S27	1	server and first adj network with active and second adj network with inactive and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:54
S28	0	server and first adj network with active and second adj network with in-active and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:55
S29	22	server and first adj network with active and second adj network with active and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 18:55
S30	0	mediga adj gateway and server and first adj network with active and second adj network with active and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 19:37
S31	2	media adj gateway and server and first adj network with active and second adj network with active and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 19:37
S32	38	media adj gatewayand first adj network with active and second adj network with active and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 19:38
S33	2	media adj gateway and first adj network with active and second adj network with active and redundant and (@rlad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 19:38

S34	0	(09/256688andsession).CCL.S.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/07 10:13
S35	3	09/256688 and session	USPAT	OR	OFF	2009/01/07 10:14
S36	14893	09/256688 and session and 106a 106b	USPAT	OR	OFF	2009/01/07 10:14
S37	1	09/256688 and session and 106a and 106b	USPAT	OR	OFF	2009/01/07 10:14
S38	1	09/256688 and 106a and 106b	USPAT	OR	OFF	2009/01/07 10:15
S39	1	09/256688 and 106a and 106b and redunda\$4	USPAT	OR	OFF	2009/01/07 10:17
S40	0	09/256688 and 106a with fai\$4 and 106b and redunda\$4	USPAT	OR	OFF	2009/01/07 10:18
S41	0	09/256688 and 106a with fai\$4 and 106b and redunda\$4	USPAT	OR	OFF	2009/01/07 10:18
S42	0	09/256688 and 106a and 106b with fai\$4 and redunda\$4	USPAT	OR	OFF	2009/01/07 10:18
S43	0	09/256688 and register	USPAT	OR	OFF	2009/01/07 10:44
S44	2	09/256688 and register\$4	USPAT	OR	OFF	2009/01/07 10:44
S45	3	09/256688 and gateway with controller	USPAT	OR	OFF	2009/01/07 10:45
S46	3	09/256688 and gateway with controller and active	USPAT	OR	OFF	2009/01/07 10:52
S47	3	09/256688 and active	USPAT	OR	OFF	2009/01/07 10:52
S48	3	09/256688 and signa\$4	USPAT	OR	OFF	2009/01/07 10:54
S49	3	09/256688 and signa\$4 with gateway with controller	USPAT	OR	OFF	2009/01/07 10:54

S50	0	09/256688 and signa\$4 with gateway with controller with register	USPAT	OR	OFF	2009/01/07 10:58
S51	0	09/256688 and signa\$4 with gateway with controller with registe\$4	USPAT	OR	OFF	2009/01/07 10:58
S52	2	09/256688 and signa\$4 with gateway with controller same registe\$4	USPAT	OR	OFF	2009/01/07 10:59
S53	19	media adj gateway adj controller same register\$4 same gateway same first same second and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:00
S54	1	10/397959 and active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:15
S55	0	10/397959 and active and redundan\$4 and address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:16
S56	0	10/397959 and active and reduntan\$4 and address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:16
S57	1	10/397959 and first with registe\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:19

S58	1	10/397959 and first same registe\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:20
S59	1	10/397959 and first and registe\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:20
S60	1	10/397959 and registe\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:22
S61	21	media adj gateway adj controller same register\$4 same gateway same first and (@rlack<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 11:49
S62	124	diane and berg	USPAT	OR	OFF	2009/01/07 13:40
S63	5	diane and berg and theodore	USPAT	OR	OFF	2009/01/07 13:40
S64	1	10/704051 and registe\$4	USPAT	OR	OFF	2009/01/07 13:40
S65	1	10/397959 and registe\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:02

S66	2	"09/323272" and register\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:03
S67	1	10/397959 and regist\$4 and active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:05
S68	1	10/397959 and message and active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:06
S69	1	10/397959 and message with active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:06
S70	1	10/397959 and start	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:08
S71	1	10/397959 and sen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:09
S72	1	10/397959 and sen\$4 and "207"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:11

S73	1	10/397959 and sen\$4 and "206"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:13
S74	1	10/397959 and active	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:23
S75	0	10/397959 and subscri\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:29
S76	0	10/397959 and subscri\$7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:29
S77	0	10/397959 and subscri\$7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:29
S78	0	10/397959 and trunk	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 14:31
S79	2	09/256688 and trunk	USPAT	OR	OFF	2009/01/07 14:32
S80	0	09/256688 and trunk and subscri\$\$	USPAT	OR	OFF	2009/01/07 14:32

S81	0	09/256688 and trunk and subscri\$5	USPAT	OR	OFF	2009/01/07 14:32
S82	0	09/256688 and trunk and subscriber	USPAT	OR	OFF	2009/01/07 14:33
S83	0	10/704051 and IP adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:04
S84	0	10/704051 and IP adj address\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:04
S85	0	10/704051 and ddress\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:04
S86	1	10/704051 and address\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:04
S87	0	10/397959 and address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:06
S88	0	10/397959 and address\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:07

S89	1	10/397959 and IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:07
S90	1	10/397959 and redund\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:08
S91	1	10/397959 and redund\$4 with control\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:08
S92	1	10/397959 and redund\$4 with MGC	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:23
S93	0	10/397959 and power and registra\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:27
S94	0	10/397959 and power	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:28
S95	32	media adj gateway adj controller and gateway same power and (@!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:30

S96	32	media adj gateway adj controller and gateway same power and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:30
S97	0	media adj gateway adj controller and gateway same power and registra\$4 and simultano\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:32
S98	5	media adj gateway adj controller and gateway same power and registra\$4 and simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:33
S99	9	media adj gateway adj controller and gateway same power and registra\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:34
S100	0	media adj gateway adj controller and gateway same power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:45
S101	166	media adj gateway adj controller and registr\$4 gateway same power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:45
S102	0	media adj gateway adj controller and registr\$4 same gateway same power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:45

S103	0	(media adj gateway adj controller or MGC) and registr\$4 same gateway same power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:45
S104	0	(media adj gateway adj controller or MGC) and registr\$4 same2 gateway same2 power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:47
S105	1	(media adj gateway adj controller or MGC) and registr\$4 and gateway and power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:47
S106	1	(media adj gateway adj controller or MGC) and registr\$4 and gateway and power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:07
S107	0	(media adj gateway adj controller or MGC) and registr\$4 and simultaneous and power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:12
S108	0	(media adj gateway adj controller or MGC) and registra\$4 and simultaneous and power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:13
S109	0	(media adj gateway adj controller or MGC) and registra\$4 and simulta\$5 and power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:13

S110	2	(media adj gateway adj controller or MGC) and gateway and power-on and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:14
S111	51	(media adj gateway adj controller or MGC) and gateway and (power-on or boot\$4) and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:16
S112	27	(media adj gateway adj controller or MGC) and registra\$4 and gateway and (power-on or boot\$4) and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:17
S113	78	("H.323" or SIP) and registra\$3 and simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:22
S114	0	("H.323" or SIP) and registra\$3 same power-on and simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:23
S115	2	("H.323" or SIP) and registra\$3 same (power-on or boot) and simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:23
S116	0	("H.323" or SIP) and registra\$3 same simultaneous and (power-on or boot) and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:25

S117	5	("H.323" or SIP) and registra\$3 and simultaneous and (power-on or boot) and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:25
S118	1	("H.323" or SIP) and registra\$3 with simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:34
S119	1	("H.323" or SIP) and registra\$3 same simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:39
S120	12	("H.323" or SIP) and registra\$3 same simultane\$5 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:39
S121	3	("H.323" or SIP) and multiple and registra\$3 same together and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:08
S122	4	("H.323" or SIP) and clients and registra\$3 same together and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:12
S123	0	("H.323" or SIP) and first adj (client or host) and second adj (client or host) and registra\$3 same together and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:14

S124	10	("H.323" or SIP) and first adj (client or host) and second adj (client or host) and registra\$3 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:14
S125	0	("H.323" or SIP) and first adj (client or host) and second adj (client or host) and registra\$3 and simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:15
S126	0	("H.323" or SIP) and first adj (client or host) and second adj (client or host) and registra\$3 and simultaneous and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:16
S127	9	("H.323" or SIP) and first adj (client or host) and second adj (client or host) and registra\$3 and together and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:16
S128	0	("H.323" or SIP) and first adj (client or host) with registra\$3 and second adj (client or host) with registra\$3 and together and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:17
S129	1	("H.323" or SIP) and first adj (client or host) with registra\$3 and second adj (client or host) with registra\$3 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:17
S130	1	("H.323" or SIP) and first adj (client or host or computer\$4) with registra\$3 and second adj (client or host or computer\$4) with registra\$3 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:18

S131	1	("H.323" or SIP) and first adj (client or host or computer\$4 or mobile) with registra\$3 and second adj (client or host or computer\$4) with registra\$3 and (@r!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:27
S132	0	("H.323" or SIP) and first adj (mobile) with registra\$3 and second adj mobile with registra\$3 and (@r!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:28
S133	18	("H.323" or SIP) and first adj (mobile) with regist\$3 and second adj mobile with regist\$3 and (@r!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:28
S134	1	("H.323" or SIP) and first adj (mobile) with regist\$3 and second adj mobile with regist\$3 and simulta\$5 and (@r!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:28
S135	0	("H.323" or SIP) and first adj (client) with regist\$3 and second adj (client) with regist\$3 and simulta\$5 and (@r!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:33
S136	0	("H.323" or SIP) and first adj (computer) with regist\$3 and second adj (computer) with regist\$3 and simulta\$5 and (@r!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:34
S137	1	("H.323" or SIP) and first adj (mobile or computer or host or client) with regist\$3 and second adj (mobile or computer or host or client) with regist\$3 and simulta\$5 and (@r!ad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:48

S138	1	("H.323" or SIP) and first adj (mobile or computer or host or client) with regist\$3 and second adj (mobile or computer or host or client) with regist\$3 and simulta\$5 and power and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:49
S139	0	10/397959 and load	USPAT	OR	OFF	2009/01/08 12:46
S140	0	10/397959 and sharing	USPAT	OR	OFF	2009/01/08 12:46
S141	0	10/397959 and trunk	USPAT	OR	OFF	2009/01/08 12:48
S142	0	10/397959 and access	USPAT	OR	OFF	2009/01/08 12:48
S143	0	10/397959 and message with switch\$4	USPAT	OR	OFF	2009/01/08 12:52
S144	0	10/397959 and message with switchover	USPAT	OR	OFF	2009/01/08 12:52
S145	11297	10/397959 and message sme switchover	USPAT	OR	OFF	2009/01/08 12:52
S146	0	10/397959 and message same switchover	USPAT	OR	OFF	2009/01/08 12:52
S147	0	10/397959 and message and switchover	USPAT	OR	OFF	2009/01/08 12:52
S148	0	10/397959 and signal\$4 with switchover	USPAT	OR	OFF	2009/01/08 12:53
S149	0	10/397959	USPAT	OR	OFF	2009/01/08 12:53
S150	0	10/397959	USPAT	OR	OFF	2009/01/08 12:54
S151	0	"10397959"	USPAT	OR	OFF	2009/01/08 12:54

S152	0	"20040042485"	USPAT	OR	OFF	2009/01/08 12:54
S153	2	"20040042485"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 12:54
S154	1	10/397959	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 12:55
S155	1	10/397959 and message with switchover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 12:55
S156	1	10/397959 and switchover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:11
S157	1	10/397959 and switchover same gateway same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:13

S158	1	10/397959 and switchover same gateway same message same mg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:14
S159	0	10/397959 and ping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:24
S160	0	10/397959 and test	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:24
S161	1	10/397959 and echo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:24
S162	1	10/397959 and echo same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:24
S163	0	10/397959 and echo same message same alert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:25

S164	0	10/397959 and echo same message same test	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:25
S165	0	10/397959 and echo same message same test	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:46
S166	0	10/397959 and echo same message and test	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:46
S167	0	10/397959 and load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:48
S168	11	09/642142 and regis\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:57
S169	0	09/642142 and regis\$4 with simultan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:57

S170	0	09/642142 and regist\$4 same simultan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:57
S171	11	09/642142 and regist\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:57
S172	2	09/642142 and regist\$4 and simultan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 13:58
S173	0	"20040042485" and ergist\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:00
S174	2	"20040042485" and regist\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:00
S175	1	"20040042485" and regist\$4 and link adj b	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:14

S176	16	load with shari\$4 same signalin\$4 same port and (@\lad<"20030826" or @ad<"20030826")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:18
S177	1	10/569782 and load	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:26
S178	0	"20040042485" and load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:41
S179	2	"20040042485" and link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:41
S180	1	"20040042485" and traffic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:42
S181	0	"20040042485" and traffic and shar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:42

S182	0	"20040042485" and traffic and divid\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:42
S183	1	"20040042485" and traffic and link adj A	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:42
S184	1	"20040042485" and traffic and link adj A and link adj B	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 14:42
S185	4	09/642142 and simultaneou\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 15:17
S186	2	09/642142 and simultaneou\$4 same regis\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/08 15:18
S187	0	("H.323" or SIP) and first adj (computer) with regist \$3 same simulta\$5 and second adj (computer) with regist\$3 and (@riad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:20

S188	0	("H.323" or SIP) and first adj (computer or client or mobile or node or host) with regist\$3 same simulta\$5 and second adj (computer or client or mobile or node or host) with regist\$3 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:21
S189	26	("H.323" or SIP) and first adj (computer or client or mobile or node or host) with regist\$3 and second adj (computer or client or mobile or node or host) with regist\$3 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:21
S190	1	("H.323" or SIP) and first adj (computer or client or mobile or node or host) with regist\$3 and second adj (computer or client or mobile or node or host) with regist\$3 and simultan\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:21
S191	37	((load-sharing or load adj sharing) same signa\$5 same connectio\$4) and port and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:02
S192	14	((load-sharing or load adj sharing) same signa\$5 same connectio\$4 same port) and port and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:02
S193	14	((load-sharing or load adj sharing) same signa\$5 same connectio\$4 same port) and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:02
S194	4	"6891833"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:26

S195	1	10/397959 and minim\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:41
S196	0	10/397959 and minim\$4 same switch\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:44
S197	1	10/397959 and minim\$4 and switch\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:44
S198	1	10/397959 and reduc\$4 and switch\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:48
S199	1	10/397959 and reduc\$4 and switch\$4 and fail\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:48
S200	1	10/397959 and link adj A and fail\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:50
S201	1	10/397959 and link adj A same fail\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:50

S202	1	10/397959 and IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:06
S203	0	10/397959 and address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:06
S204	1	10/397959 and link	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:06
S205	1	10/397959 and physical	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:06
S206	1	10/397959 and link with A with termina\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:07
S207	0	10/397959 and port	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:08
S208	1	10/397959 and physic\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:11

S209	17	"6775255"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:17
S210	4	"6891833"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:18
S211	29	"6674713"	USPAT	OR	OFF	2009/01/08 17:19
S212	4	(media adj gateway adj controller or MGC) same IP adj address\$4 and multiple with network with card and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:24
S213	4	(media adj gateway adj controller or MGC) same IP adj address\$4 and multiple with network with card\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:24
S214	19	(media adj gateway adj controller or MGC) and multiple with network with card\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:45
S215	19	(media adj gateway adj controller or MGC or softswitch) and multiple with network with card\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:48

S216	19	(media adj gateway adj controller or MGC or Soft adj switch) and multiple with network with card\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:48
S217	1	(media adj gateway adj controller or MGC) and card adj one and card adj two and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:52
S218	61	(media adj gateway adj controller or MGC) and two with network with car\$4 and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:54
S219	399	(media adj gateway adj controller or MGC) and network with (interface\$4 or card\$4) and IP adj address and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:59
S220	375	(media adj gateway adj controller or MGC) and network with (interface\$4 or card\$4) and IP adj address and first and second and (@rlad<"20032608" or @ad<"20032608")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 18:00

11/9/2009 3:53:59 PM

C:\Documents and Settings\aebrahim\My Documents\EAST\Workspaces\10569782.wsp